

Wellness & Garden

CATALOG 2025



EU EUROPE

Content











58-65



66-71

52-57





Since the company was founded in 2003, more and more people are choosing Wellis products around the world. The increasing demand for a healthy lifestyle increases the demand for quality wellness products as well. Thanks to our dedication to continuous development and growth, Wellis has now become the largest hot tub manufacturer on the European market and already has a significant share in the American market.

We produce hot tubs, swim spas, their associated thermal covers, and spa side cover panels at a plant with a total area of 30,000 m². The construction and continuous expansion of this huge plant, which is equipped with modern production tools, was motivated by the growing market demand, and our commintment to quality in manufacturing technology. Our products are stored in several warehouses. We currently sell 30.000 Wellis hot tubs per year at more than 1000 points of sale worldwide.

We have been developing our new product line for more than 3 years. Countless licences, thousands of work hours, and a multitude of our own innovations, that we are already extremely proud of, will be represented in our new models. Faithfull to our company, we want to introduce excellent, user- and environmentally friendly products to the market, as it is increasingly important to us to pay special attention to the needs of our customers, and the same time protect the environment. The primary goal of our company is to provide exceptional wellness experience for our customers using as little energy as possible. There will be significant changes in the technological structure of our hot tubs while they will also get a renewed design.



"I was an active teenager; I travelled the world and was continuously on the hunt for new business opportunities. I worked on importing jeans from Asia and I always wanted to learn and expand. The real success in business found my brother and me in producing spas and together we created Wellis, Europe's leading hot tub company. In the beginning,

we imported spas and hydromassage tubs as ready-made, pre-assembled products. The year 2010 was to be a gigantic milestone in Wellis's and our lives, which is when we started manufacturing spas. We started building the factory in the spring of 2008, and a few months later the global financial crisis broke out, then the great economic recession started. Everyone tried to talk me out of starting to manufacture hydromassage hot tubs in the middle of the crisis, since they absolutely count as a luxury item. The company's management didn't endorse starting manufacturing, either, but I decided to go for it. To put it delicately, neither starting to make the products, nor introducing our own hot tubs to the European market was easy. Fortunately, we could say the rest is history, since our efforts were crowned by such success that manufacturing products ended up pulling the company out of the crisis. As our next great leap, I would name breaking into America, the native land of hot tubs, where in the last 2-3 years we have been growing our roots and introduced the brand named Wellis. Parallel to expanding our business in the USA, we would like to grow on. It is a glorious thing to be on the cutting edge, but it's an even greater responsibility!"

Zsolt Czafik CEO and Akos Czafik CEO





Instead of a long-term vision, focusing on sustainability has become the part of everyday life at Wellis. In the past few years, our company has placed increasing emphasis on the elements of our environmental-friendly and sustainable model.

Our efforts are based on two essential pillars: the first one is to optimize our production processes, and the second is to educate our customers about energy and water-saving aspects while considering the environmental factors.

Here are some processes which were introduced into the daily life of our company

- Reusing unnecessary materials with a special shredder.
- Production of abs (acrylonitrile-butadiene-styrene) from recycled plastic.
- Using low consumption pumps in hot tubs.
- Various developments in the name of renewable energy, such as integrating solar systems into our products.
- Reducing transport routes around the world and coordinating production and sales activities.
- Developing New, energy-efficient hot tubs



SAVE THE RAIN FOREST

In the process of our manufactoring technology, we pay special attention to environmental awareness, so we completely eliminated the use of wood during the production and replaced it with recycled materials.

This is how we protect our rainforests and nature. In order to achieve $\,$ the most effective recycling, Wellis is not afraid of technological innovations either.



Quality assurance

Our quality is continuously benchmarked against the highest German production Standards under the $T\ddot{U}V$ certification protocol that we subscribe to. This ensures we constantly meet and exceed all relevant International quality standards.

We are proud of this commitment to excellence and the clear differentiation from our market competitors that it affords us. Our TÜV certificate guarantees that our products are of excellent quality, and are regularly and independently monitored to meet and exceed the highest manufacturing standards. The CE label on all our products reassures our customers that the design and build meet or exceed all relevant EU standards.



years guarantee for the plumbing



years guarantee for the shell

The result of 3 years of development

The Wellis R&D team has been working for 3 years on the new product portfolio, which will be revolutionary throughout the world.

61 patents are already registered in Europe; 14 in the US. Also there is a world patent for the eletric water diverter. Technology breakthroughs result in energy-efficient and environment-friendly solutions.





New water diverter: Wow system

Energy-efficient solutions while also preferencing sustainability and environmentally conscious production technologies.

With this in mind, it was obvious that our new and renewed products would also be produced in accordance with these standards.

This is the reason our revised logo was named Life, which name will be carried on by both our product families: Peak and CityLife.







WATER TREATMENT



DESIGN, APPEARANCE

Focus on saving energy Bullfrog **Hot Spring** Wellis Jacuzzi Chinese J-475 **Everest Life** A7LC Envoy spa premium plus Full foam (CEC) (CEC) Full foam (CEC) **#**ife with SMART-In Step system 2.90 kWh / day 3.96 kWh / day 4.45 kWh / day 5.47 kWh / day 10.00 kWh / day 370 EUR / year 505 EUR / year* 568 EUR / year* 698 EUR / year* 1 277 EUR / year* * Sources: CEC - California Energy Commission; TÜV – Based on Wellis measurements with Smart-In Step System, California Energy Commision environment: 1kw = 0.35 cents average calculated: https://ec.europa.eu/eurostat/statistics-explained/index.php/Electricity_price_statistics

Our improved electric water diverter replaces the large manual diverter. Our device fills the same function and comes with a smaller panel with buttons for

The electric water diverter makes for a gentler massage experience due to the fact that after activating it, the speed of the water increases gradually. Thanks to the automation, we've built a new massage experience into the tub: the gradual changing of the direction of the massage every five seconds creates a pulsing effect, providing an even more authentic feeling of a traditional massage.

Concerning the water current, we combined the massage strength of two old $er-model\,massage\,pumps\,in\,only\,one\,by\,straightening\,the\,pipes\,and\,installing\,the$ new water diverter. This way, the consumption of energy while in use has been reduced to half the previous amount.

Wellis made an energy efficient water diverter, which patent is registered in 152 countries.

Compared to our competitor's solution, it has 23% higher pressure with approx. 30% less energy consumption. Moreover, we compared it to our previous models, and the results were 75% higher pressure with approx. 41% less energy consumption.

Wellis EVEREST with old water diverter

To reach 12 PSI massage feeling needed:

2×3HP + 2×2HP pumps and 7400 W

Wellis EVEREST life with new diverter

To reach 12 PSI massage feeling needed:

2×3HP pumps and 4400 W



Smartphone application

Control your spa from home or while you are on the road with the Wellis Smartphone™ app!

Available for both iPhone and Android smartphones. Set the desired temperature and other functions from your phone, before you head over to the holiday house, so that by the time you arrive you will have a heated, ready-to-use spa waiting for you, providing you with all the benefits and positive effects of a Wellis hydromassage



New Life scandinauian insulation

Most of our spas have received a new type of Life Scandinavian insulation. These insulation boards have been inserted into the spa's support frame, rather than being attached to the exterior cladding. The insulation is dimensionally accurate for the frame's inner measurements and can be easily installed or uninstalled.

The foam insulation under the rim has also been exchanged for an aesthetically more pleasing Life insulation.

In some of our premium Life pools, we have used the best possible insulation material in the tray instead of the previous polyfoam insulation: air. We achieved this by installing an ABS sheet near the bottom plate, creating insulating air pockets.





The heat pump can be stowed under the larger step. The heating of the water can be maintained more cost efficiently, without affecting the product's aesthetics.

The Smart-In Step system, equipped with a built-in heat pump, is capable of heating or cooling the water between -5° C and $+40^{\circ}$ C, allowing for savings of 70-75% of the spa's heating energy. Inside the stairs, we have designed storage compartments where bathers can store towels or water treatment products. Additionally, our Peaklife models are equipped with a USB socket for mobile phone charging.



Water Purity

All Wellis spas use a multi-stage filtration and sanitation system that ensures crystal clear, safe bathing water with the minimum of user input.

The process starts with our special antimicrobial cartridge filters. The low energy eco-circulation pump draws spa water through these filters where any tiny particles are trapped. The antimicrobial coating then helps to destroy any bacteria that may be attached to the filtered particles, preventing growth and smells and ensuring the filters are easily cleaned and returned to service many times over.

Once the spa water has been filtered it passes through the heater and then the eco-circulation pump. Next it is passed through sanitation device that we fit.

Although a spas bathing water can be kept safe by chemicals alone, an electronic sanitation device will greatly reduce the amount of these chemicals that are required, and hence improve the quality of the water for bathers. Every spa we make is fitted with this device: WellisGuard™.

Our filters ensure the purification of the water several times a day, leaving no dirt on the floor.

Our antimicrobial spa filter cartridges are designed to provide an unsurpassed level of leisure water cleansing.



CRYSTAL CLEAN SYSTEM

Thanks to the pipe with a diameter of 48 millimeters, the motor circulates more water and does so faster, thus filtering the water more speedily. The new circulation jet has been designed to have 3 zones, where 2 zones are pointed downwards to stir up the sandand dirt from the bottom of the hot tub.

The zone in the upper area then directs the water into the filter.




WELLISGUARD™


Provides 20% fresher water when used with the appropriate amount of chlorine, compared to traditional systems. Ensures perfect water clarity.

The tests conducted during Wellis' development work have shown that the systems we use have proven to be the most effective solution.

To enhance water clarity and freshness, we developed the Wellis Guard $^{\text{TM}}$, which has proven to be the most effective when used with chlorine and the appropriate amount of pH regulator. Thanks to our system, less chlorine is needed compared to traditional systems, making the hot tub water more pleasant and crystal clear.

Our goal is to achieve the best possible cleaning method and reduce the amount of chemicals currently used. The WellisGuard™ is currently under patent.





IN-LINE WIS

- This useful, built-in accessory provides 24-hour monitoring of your spa's water quality status via your smartphone.
- The machinery also provides the exact and required amount of chem-
- Since this is a built-in system, it does not disturb us during rest, it is a completely new system, developed by Wellis
- You can download the WIS application from Google Play or App Store.









AQUASOUL™ PRO 4.1 AND 2.1 SOUND SYSTEM (PEAKLIFE)

Experience the cutting-edge Wellis AquaSoul™ Pro sound system, featuring state-of-the-art, waterproof components designed for seamless integration with today's technology. Forget about outdated mp3 players and wired connections – the built-in Bluetooth receiver allows for wireless streaming directly from your mobile device. Choose from the powerful 4.1 system, which includes a 288 W subwoofer and four concealed 30 W speakers, or the compact 2.1 system with two integrated 30 W speakers, ensuring pristine audio quality for any setting.



Immerse yourself in the $myMusic^{TM}$ 2.0 sound system, crafted with the latest waterproof technology to deliver superior sound quality. With no need for external devices, connect effortlessly to the built-in Bluetooth receiver from your mobile phone. This system simplifies your audio experience while maintaining high fidelity sound, making it perfect for any modern lifestyle.









CityLife Rim





Future of design

LIGHTSIDE™ SPA CABINET

Wood-like, wide horizontal side and corner bars. These elements add an intimate atmosphere to the appearance of the spas. The cabinets are available in grey and brown colour. Besides this, our new spa side cabinet's futuristic look instantly flies us into the future. An LED strip runs along the $\,$ side of the spa cover (PeakLife). The newly developed corner elements give a more modern and futuristic look to our new range of hot tubs.









NECK MASSAGE & HEADREST

Takes your daily stress off your shoulder and neck. Advanced ergonomics, more comfortable design. The design of the headrest follows the $\,$ line of the neck and head so you can relax more comfortably in our hot tubs.

Sit under the cascading water and enjoy a soothing neck and shoulder $\,$ massage. This accessory is a new development of Wellis, there is no other product on the market that is similar to it.

FILTER HOUSING

Our custom-made filter housing has an outstanding design, which complements the shades of the spa acrylic. Filters can be replaced easily with one move, anyone can do it easily. We made a unique, lighting design, which makes the hot tub more modern.

∞ WE DESIGNED THE 7" ROTATING INFINITY JET

The infinity jet makes the massage experience even more enjoyable by massaging a larger portion of the body and doesn't only move up and down, it draws an infinite figure eight as it turns.







In our spas we call this mood lighting. Our chromotherapy system is based on lights of three different colours: green, blue and red. These can be set to fade gently through the spectrum or, by a simple touch of the spa's control panel can be fixed on the single colour most beneficial to your mood.

EXCLUSIVE LIGHTS COLOUR THERAPY MOOD LIGHTING

When connected to Wellis control panels, including the SmartTouch systems, the Exclusive Lights system can be easily controlled. While the SmartTouch interface allows for personalized settings with an infinite range of colours and dimming intensity, other control panels offer the capability to step through colours, though with a more limited selection. The Exclusive Lights system can enhance the spa experience by illuminating three lighting zones: central lighting, rim lighting, and cabinet and corner lighting.



RIM LIGHTING

Rim lighting is a design element located under the decorative elements, the cup holders, the taps, and the filter housing. The jet lighting can be controlled simultaneously.

LIGHTING JETS

Wellis has developed numerous patents for its new models, one of which includes the innovative Lighting Jets. This special feature is available exclusively in the Premium Edition and Premium Plus Edition packages. The jets illuminate not only themselves but also the surface around them, enhancing the spa's interior with a modern and futuristic appearance, akin to sitting in a spaceship. This unique design not only modernizes the look of the spa but also increases the lighting surface, making it unlike anything else on the hot tub market.

LIGHTSIDE™ CABINET SYSTEM (PEAKLIFE)

The LightSide™ cabinet system appears in Wellis' new spas, which includes hidden lighting under the corner elements, and an inhouse developed LED strip, which runs along the side cabinet of the hot tub. The integrated LED strip provides a special ambiance for evening bathing.



CENTRAL LIGHTING

Some jacuzzis have central, underwater lighting that works in harmony with the jet lighting to colour the water throughout the pool.

RELAX MASSAGE SEAT

It targets the regeneration of the shoulder girdle and the longitudinal trunk muscle tissues, as well as the hip flexor muscles and the knee extensor muscles – the muscle groups most exposed to everyday loads.

EXPERT MASSAGE SEAT

Its adjustable jets can have physiological effects with customized directions and strength.

COOL DOWN MASSAGE SEAT

The armchair design provides relaxation after training; its psychical and calming effect should be mentioned in addition to the recovery of physiological functions.

FOCUS MASSAGE SEAT


It offers its user an experience similar to the Expert effect, relaxing the longitudinal trunk muscle tissues, and passively exercising the hip and the thigh flexor and extensor muscle groups.


BODY FLOW MASSAGE SEAT


The massage seat with the most intensive physiological effect; in addition to the trunk's muscle fibers, it also has effects on venous and lymphatic circulation in the lower limbs, in this way bringing relief to vein valves.

INTENSO MASSAGE SEAT

The most refreshing massage seat. The favorite of professional athletes. After exhaustive and intensive training, it ensures the regeneration of the most critical areas, the back and leg muscles Relax.







* The layout of the jets may vary for each tub in the different seat designs.



Colours of Wellis

ACRYLIC COLOURS

We have a comprehensive range of 4 beautiful contemporary shades of a crylic for our spas that will harmonise with any setting – indoor or out: Ice white, Midnight canyon, Sterling silver and Storm grey.



Ice white








Midnight canyon



CABINET COLOURS

No more sanding, oiling, and messy maintenance of a traditional timber cabinet. Our spa cabinets are made of a UV-resistant polymer material that looks as good as real wood but is entirely maintenance-free.

 $Peak Life \ spas \ have \ the \ new \ Light Side^{TM}-design \ cabinet \ is \ paired \ with$ vertical corner elements, giving elegance to the models. Available in grey and brown colours.






Control panels

SMARTTOUCH CONTROL PANEL (PEAKLIFE, STREAMLIFE, COLD PLUNGE LINE)

Full-featured keypad with colour capacitive touchscreen display. Parting ways with physical buttons, keys, and overlays, our touchscreen keypad is fun to use, simple to learn and features an intuitive and engaging one-level menu interface.





EASY7 CONTROL PANEL (CITYLIFE, STREAMLIFE)

The Wellis Easy7 brings all the features you really need to one keypad. Compact, with a big LCD screen; bright enough to be seen throughout the day; simple enough to use in the middle of the night; affordable, yet solidly built.



EASY7 CONTROL PANEL

EASY4 CONTROL PANEL (CITYLIFE, CLASSIC LINE, STREAMLIFE)

A high quality control system, designed to perfectly control the bathing experience. The Wellis Easy4 brings all the features you really need to one keypad. Compact, with a big LCD screen; bright enough to be seen throughout the day; simple enough to use in the middle of the night; affordable, yet solidly built.



EASY4 CONTROL PANEL







↑ Premium edition



2 360 × 2 360 × 950 mm 2 reclining places, 3 sitting places

Acrylic colour











Sterling silver Midnight canyon Storm grey

Side cover colour





Deluxe Edition + Essential features

Side cover	LightSide™ with LED line
Min. power requirement**	1 × 25A - 230V / 50Hz
Opt. power requirement	1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 4.1 hidden
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	452 kg / 1 382 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	68
∞ Infinity jets	6
Min. power requirement** Opt. power requirement	1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz 1 × 50A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	3 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	2 × 1 buttons
Water care	WellisGuard™
Cartridge filter	3 × MicroPlus antibacterial
Flat fountain jets	2 × 1 lighting
Waterfall	1 lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	-
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Everest Options

•	
3 kW heat pump	
Smart- In step prepared to heat pump location	

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1 \times 2 hour. Based on TÜV measurements with heat pump.
- ** If the minimum current is connected, the massage motor(s) and the heating unit cannot





↑ Premium edition

Kilimanjaro **@**ife

2 360 × 2 360 × 950 mm 1 reclining place, 5 sitting places

Acrylic colour









Midnight canyon

Side cover colour



Deluxe Edition + Essential features

Side cover	LightSide™ with LED line
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 4.1 hidden
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	454 kg / 1 450 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	59
∞ Infinity jets	6
Min. power requirement** Opt. power requirement	1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz 1 × 50A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	3 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	1 buttons
Water care	WellisGuard™
Cartridge filter	3 × MicroPlus antibacterial
Flat fountain jets	2 × 1 lighting
Waterfall	1 lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	_
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Kilimanjaro Options

3 kW heat pump
Smart- In step prepared to heat pump location

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour. Based on
- TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





↑ Premium edition



2 360 × 2 360 × 950 mm 7 sitting places

Acrylic colour



Sterling silver









Midnight canyon Storm grey

Side cover colour





Ice white

Deluxe Edition + Essential features

Side cover	LightSide™ with LED line
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 4.1 hidden
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	452 kg / 1 500 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	61
∞ Infinity jets	4
Min. power requirement** Opt. power requirement	1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz 1 × 50A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	3 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	2 × 1 buttons
Water refreshment	WellisGuard™
Cartridge filter	3 × MicroPlus antibacterial
Flat fountain jets	2 × 1 lighting
Waterfall	1 small, lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	-
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Elbrus Options

3 kW heat pump	
Smart- In step prepared to heat pump location	

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1 \times 2 hour. Based on TÜV measurements with heat pump.
- ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





↑ Premium edition

Teide **Life**

1 600 × 2 150 × 865 mm 1 reclining place, 2 sitting places

Acrylic colour







Side cover colour





Deluxe Edition + Essential features

LightSide™ with LED line
1 × 16A - 230V / 50Hz 1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
2 × 3 HP
Aquasoul™ Pro 2.1
Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	311 kg / 750 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	32
∞ Infinity jets	2
Min.** / Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 25A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	2 × MicroPlus antibacterial
Flat fountain jets	2 × 1 lighting
Waterfall	_
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	-
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Teide Options

3 kW heat pump
Smart- In step prepared to heat pump location

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour. Based on
- TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





↑ Premium edition

Atlas **life**

2 150 × 2 150 × 865 mm 1 reclining place, 5 sitting places

Acrylic colour



Sterling silver



Ice white



Midnight canyon





Storm grey

Side cover colour





Deluxe Edition + Essential features

Side cover	LightSide™ with LED line
Min. power requirement**	1 × 20A - 230V / 50Hz
Opt. power requirement	1 × 32A - 230V / 50Hz or
	3 × 16A - 400V / 50Hz
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 2.1
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

28

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	391 kg / 1 100 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	43
∞ Infinity jets	4
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 2 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	2 × MicroPlus antibacterial
Flat fountain jets	-
Waterfall	1 lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	-
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Atlas Options

3 kW heat pump	
Smart- In step prepared to heat pump location	

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1 \times 2 hour. Based on TÜV measurements with heat pump.
- ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





↑ Premium edition

Makalu **Life**

2 150 × 2 150 × 865 mm 2 reclining places, 3 sitting places

Acrylic colour









Midnight canyon

Side cover colour





Deluxe Edition + Essential features

Side cover	LightSide™ with LED line
Min. power requirement**	1 × 20A - 230V / 50Hz
Opt. power requirement	1 × 32A - 230V / 50Hz or
	$3 \times 16A - 400V / 50Hz$
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 2.1
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Deluxe Edition

Net weight / Water volume	380 kg / 1 070 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	51
∞ Infinity jets	4
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 2 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	2 × MicroPlus antibacterial
Flat fountain jets	-
Waterfall	1 lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	_
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Makalu Options

3 kW heat pump
Smart- In step prepared to heat pump location

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1 × 2 hour. Based on TÜV measurements with heat pump.
- ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





↑ Premium edition



2 150 × 2 150 × 865 mm 7 sitting places

Acrylic colour











Side cover colour





Deluxe Edition + Essential features

Detaile Edition . Essential realares	
Side cover	LightSide™ with LED line
Min. power requirement**	1 × 20A - 230V / 50Hz
Opt. power requirement	1 × 32A - 230V / 50Hz or
	3 × 16A - 400V / 50Hz
WOW system	electronic water diverter
Sound system	Aquasoul™ Pro 2.1
Exclusive Lights colour therapy	Central lighting, Rim lighting, Cabinet & corner lighting

Premium Edition + Deluxe features

WIS Inline system	built-in water analyzer
Exclusive Lights colour therapy	Lighting jets, Rim lighting, Cabinet & corner lighting

Essential Edition (standard features)

Net weight / Water volume	388 kg / 1 125 l
Frame	WPS
Side cover	LightSide™ without LED line
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	46
∞ Infinity jets	2
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 2 HP
Circulation pump	W-EC pump (0.25 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	2 × MicroPlus antibacterial
Flat fountain jets	-
Waterfall	2 small, lighting
Exclusive Lights colour therapy	Central lighting, Rim lighting, Corner lighting
Sound system	-
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

Atlas Options

•	
3 kW heat pump	
Smart- In step prepared to heat nump location	

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1 \times 2 hour. Based on TÜV measurements with heat pump.
- ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Net weight / Water volume

Heat exchanger preparation

Frame

Side cover Reinforcement

Olympus **1**ife

3 540 × 2 300 × 980 mm 2 reclining places, 7 sitting places

Acrylic colour



Sterling silver

Side cover colour





	•
Insulation	Life scandinavian insulation
Total number of jets	88
Min. power requirement** Opt. power requirement	1 × 40A - 230V / 50Hz 1 × 50A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 3 HP 2 × 2 HP 1 × 3 HP
Circulation pump	1 × 1.25 HP (1,1 kW)
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	1 × 1 button + 1 × 4 buttons
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Laminar fountain jets	2 × 1 lighting
Waterfall	1 × lighting
Led lights	20 × exclusive LEDs + lighting jets
Sound system	Aquasoul™ Pro 4.1 Pop-Up
Aromatic therapy	Liquid Aroma (without fragrance)
SmartPhone app - wifi connection	standard

standard

900 kg / 2 331 l

Stainless steel

Fiberglass reinforced

HorizontSide™ UV-proof wood textured

Olympus Options

3 kW heat pump

Smart- In step prepared to heat pump location



- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour. Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot
- be operated at the same time.

WELLNESS AND GARDEN 2025 31

30







2 180 × 2 180 × 900 mm 2 reclining places, 3 sitting places

Acrylic colour















Midnight canyon Storm grey

Side cover colour





Premium Edition

3 kW heat pump	
Smart- In step prepared to heat pump location	

Deluxe Edition

Net weight / Water volume	335 kg / 1 175 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	42
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	_
Waterfall	1 short waterfall, Flat fountain jets 2 pcs
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	Standard Blacktex cover

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Malaga **l**ife

2 180 × 2 180 × 900 mm 1 reclining place, 5 sitting places

Acrylic colour









Midnight canyon Storm grey

Side cover colour





Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	335 kg / 1 200 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	40
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	_
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	3 × 1 lighting
Waterfall	1 small, lighting
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

WELLNESS AND GARDEN 2025 35 34

CityLife



CityLife





2180 × 2180 × 900 mm 7 sitting places

Acrylic colour













Midnight canyon Storm grey

Side cover colour





Premium Edition

3 kW heat pump

Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	346 kg / 1 300 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	44
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
Circulation pump	W-EC Pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	1 small, lighting
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour. Based on TÜV measurements with heat pump.
 If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.







2 010 × 1 530 × 850 mm 1 reclining place, 2 sitting places

Acrylic colour





Sterling silver

Ice white Side cover colour





Premium Edition

3 kW heat pump

Smart- In step prepared to heat pump location

Deluxe Edition


Net weight / Water volume	242 kg / 710 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scantdinavian insulation
Total number of jets	30
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 25A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	_
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	_
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Prague **1**ife



Acrylic colour









Midnight canyon Storm grey

Side cover colour





Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	280 kg / 1 200 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	50
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 25A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

WELLNESS AND GARDEN 2025 39 38

CityLife

CityLife 2025. Life Spas





2000 × 2000 × 890 mm 2 reclining places, 3 sitting places

Acrylic colour









Midnight canyon





Storm grey

Side cover colour





Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	299 kg / 1 200 l
Frame	WPS
Side cover	HorizontSide™ UV-proof with W-Side corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	42
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 25A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	-
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Firenze **L**ife

2130 × 1600 × 750 mm 2 reclining places, 1 sitting place

Acrylic colour





Sterling silver

Side cover colour



Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	227 kg / 750 l
Frame	WPS
Side cover	HorizontSide™ UV-proof and corner
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	37
Min. power requirement** Opt. power requirement	1 × 16A - 230V / 50Hz 1 × 25A - 230V / 50Hz
Pumps	1 × 2 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × MicroPlus antibacterial
Flat fountain jets	_
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.





2300 × 2300 × 900 mm 1 reclining place, 5 sitting places

Acrylic colour



Sterling silver











Midnight canyon Storm grey

Side cover colour







Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Net weight / Water volume	387 kg / 1 600 l
Frame	WPS
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	52
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	3 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.







2300 × 2300 × 900 mm 7 sitting places

Acrylic colour







Midnight canyon Storm grey

Side cover colour





Premium Edition

3 kW heat pump Smart- In step prepared to heat pump location

Deluxe Edition

Dottako Zartion	
Net weight / Water volume	226 kg / 1 300 l
Frame	WPS
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Life scandinavian insulation
Total number of jets	62
Min. power requirement** Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP
Circulation pump	W-EC pump (0.25 kW)
WOW system	-
Heater	3 kW
Control panel	Easy7
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	3 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	SmartPhone app with wifi connection
Thermo cover	standard

- * California Energy Commission data: water 39 °C, air 17 °C, filtering 1×2 hour.
- Based on TÜV measurements with heat pump.

 ** If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

42

CityLife



ClassicLine ClassicLine 2025. Life Spas





Venus

2150 × 2150 × 860 mm 1 reclining place, 5 sitting places

Acrylic colour















Side cover colour



Options

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	270 kg / 1189 l
Frame	Impregnated wood
Side cover	$Horizont Side^{\text{TM}}UV\text{-}proofwoodtextured$
Reinforcement	Poli-MAX™
Insulation	Polyfoam
Total number of jets	49
Min. power requirement* Opt. power requirement	1 × 20A - 230V / 50Hz 1 × 32A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	1 × 2 HP + 1 × 2 HP
Circulation pump	-
WOW system	7
Heater	3 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™ ECO
Cartridge filter	2 × Superfine
Flat fountain jets	-
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	-
Thermo cover	standard

^{*} If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Jupiter

2000 × 2000 × 900 mm 1 reclining place, 5 sitting places

Acrylic colour







Storm grey

Midnight canyon

Side cover colour



Options

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	260 kg / 1136 l
Frame	Impregnated wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam
Total number of jets	46
Min. power requirement* Opt. power requirement	1 × 20A - 230V / 50Hz 1 × 25A - 230V / 50Hz
Pumps	1 × 3 HP
Circulation pump	-
WOW system	-
Heater	3 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™ ECO
Cartridge filter	1 × Superfine
Flat fountain jets	2 × 1 lighting
Waterfall	_
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	
Thermo cover	standard
·	

^{*} If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

ClassicLine ClassicLine 2025. Life Spas





Pluto

2000 × 2000 × 890 mm 2 reclining places, 3 sitting places

Acrylic colour













Midnight canyon Storm grey

Side cover colour



Options

48

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	236 kg / 956 l
Frame	Impregnated wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam
Total number of jets	42
Min. power requirement* Opt. power requirement	1 × 20A - 230V / 50Hz 1 × 25A - 230V / 50Hz
Pumps	1 × 3 HP
Circulation pump	-
WOW system	-
Heater	3 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™ ECO
Cartridge filter	2 × Superfine
Flat fountain jets	-
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	-
Thermo cover	standard

 $^{^{\}star}$ $\,$ If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Mars P&P

2130 × 1600 × 750 mm 2 reclining places, 1 sitting place

Acrylic colour





Sterling silver

Side cover colour



Options

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	170 kg / 685 l
Frame	Impregnated wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX TM
Insulation	Polyfoam
Total number of jets	37
Power requirement EU Power requirement UK	1 × 16A - 230V / 50Hz 1 × 13A - 230V / 50Hz
Pumps	1 × 2 HP
Circulation pump	-
WOW system	-
Heater	2 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™ ECO
Cartridge filter	1 × Superfine
Flat fountain jets	-
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot and Rim lighting
Sound system	MyMusic™ 2.0
Remote spa control	-
Thermo cover	standard

ClassicLine ClassicLine 2025. Life Spas





Callisto P&P

2000 × 2000 × 890 mm 2 reclining places, 3 sitting places

Acrylic colour













Ice white Midnight canyon Storm grey

Side cover colour



Options

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	247 kg / 956 l
Frame	Impregnated wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam
Total number of jets	20
Power requirement EU Power requirement UK	1 × 16A - 230V / 50Hz 1 × 13A - 230V / 50Hz
Pumps	1 × 2 HP
Circulation pump	-
WOW system	-
Heater	2 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × MicroPlus antibacterial
Flat fountain jets	-
Waterfall	-
Exclusive Lights colour therapy	Exclusive spot
Remote spa control	-
Remote spa control	-
Thermo cover	standard

Castor P&P

2 000 × 2 000 × 900 mm 1 reclining places, 5 sitting places

Acrylic colour









Midnight canyon Storm grey

Side cover colour



Options

Insulation	Scantdinavian insulation
Remote spa control	SmartPhone app with wifi connection

Net weight / Water volume	224 kg / 1 v0 l
Frame	Impregnated wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam
Total number of jets	20
Power requirement EU Power requirement UK	1 × 16A - 230V / 50Hz 1 × 13A - 230V / 50Hz
Pumps	1 × 2 HP
Circulation pump	-
WOW system	-
Heater	2 kW
Control panel	Easy4
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	1 × Superfine
Flat fountain jets	-
Waterfall	=
Exclusive Lights colour therapy	Exclusive spot
Remote spa control	-
Remote spa control	-
Thermo cover	standard

"""









6 000 × 2 350 × 1 470 mm 1 reclining place, 5 sitting places

Acrylic colour



Sterling silver

Side cover colour





Options

3 kW heat pump Smart- In step prepared to heat pump location



1 300 kg / 6 600 l
Stainless steel
HorizontSide™ or semi-inground
Fiberglass reinforced
41
1 × 20A / 230V / 50Hz 1 × 40A / 230V / 50Hz
W-flow: 1 × 35A / 230V / 50Hz, W-flow: 3 × 16A / 400V / 50Hz,
2 × 3 HP + circ. pump (0.25 kW),
3 × 3 HP + circ. pump (0.25 kW)
2 × 3 kW
2 × SmartTouch
-
WellisGuard™
1 + 2 Superfine
3 + 6 lighting
1 × lighting
2 × 16 exclusive LEDs + illuminated control valves
AquaSoul™ Pro 4.1
Liquid Aroma (without fragrance)
standard
standard
standard

 $^{^{\}star}$ $\,$ If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Amazonas **l**ife



5 500 × 2 350 × 1 470 mm 2 sitting places

Acrylic colour



Sterling silver

Side cover colour





Options

3 kW heat pump Smart- In step prepared to heat pump location



Net weight / Water volume	1 100 kg / 8 000 l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Total number of jets	26
Min. power requirement*	W-flow: 3 × 16A / 400V / 50Hz
Opt. power requirement	Riverjet: 3 × 16A / 400V / 50Hz W-flow: 3 × 20A / 400V / 50Hz, Riverjet: 3 × 16A / 400V / 50Hz
Pumps (hydro massage)	1 × 3 HP + circ. pump (0.25 kW)
Pumps (swim spa)	3 × 3 HP
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	4 × Superfine
Laminar fountain jets	2 × 3 lighting
Waterfall	-
Led lights	1 × 20 exclusive LEDs + illuminated control valves
Sound system	AquaSoul™ Pro 4.1
Aromatic therapy	_
SmartPhone app - wifi connection	standard
Scandinavian insulation	standard
Heat exchanger preparation	standard
Swimming stick	standard

 $^{^{\}star}$ $\,$ If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

StreamLife swim spa





The world's greenest spas

4 530 × 2 350 × 1 470 mm 2 sitting places

Acrylic colour



Side cover colour





Options

3 kW heat pump Smart- In step prepared to heat pump location



Net weight / Water volume	1 047 kg / 6 113 l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Total number of jets	24
Min. power requirement*	W-flow: 3 × 16A / 400V / 50Hz,
	Riverjet: 3 × 16A / 400V / 50Hz
Opt. power requirement	W-flow: $3 \times 20A / 400V / 50Hz$,
	Riverjet: 3 × 16A / 400V / 50Hz
Pumps (hydromassage)	1 × 3 HP + circ. pump (0.25 kW)
Pumps (swim spa)	3 × 3 HP
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	2 × Superfine
Laminar fountain jets	2 × 3 lighting
Waterfall	-
Led lights	18 × exclusive LEDs
	+ illuminated control valves
Sound system	AquaSoul™ Pro 4.1
Aromatic therapy	-
SmartPhone app - wifi connection	standard
Scandinavian insulation	standard
Heat exchanger preparation	standard
Swimming stick	standard

 $^{^{\}star}$ $\,$ If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.



Amazonas Grand Prix **Life**



5500 × 2350 × 1470 mm 2 sitting places

Acrylic colour



Sterling silver

Side cover colour





Options


3 kW heat pump Smart- In step prepared to heat pump location



Net weight / Water volume	~ 1 100 kg / 8000 l
-rame	Stainless steel
Side cover	HorizontSide™ only semi-inground
Reinforcement	Fiberglass reinforced
Total number of jets	48
Power requirement	W-flow: 3 × 16A / 400V / 50Hz
Pumps (hydromassage)	1 × 3 HP + 1 × 2 HP + circ. pump (0.25 kW)
Pumps (swim spa)	3 pcs counter current pump
Heater	3 kW
Control panel	SmartTouch
Auxiliary control panel	-
Water care	WellisGuard™
Cartridge filter	4 × MicroPlus antibacterial
NOW system	electronic water diverter
Waterfall	2 × 1 lighting
Led lights	Central lighting, Corner lighting, illuminated control valves, lighting jets
Sound system	AquaSoul™ Pro 4.1
WIS Inline system	built-in water analyzer
SmartPhone app - wifi connection	standard
Scandinavian insulation	standard
Heat exchanger preparation	standard
Swimming stick	standard
WIS Inline system	built-in water analyzer
	-


Endless Summer Vibes Meet Ultimate Convenience

- Relaxation Awaits!



StreamLife swim spa

Beach Glub



Beach Club

DELUXE AND PREMIUM EDITION

6000 × 2350 × 1470 mm with 2 sunbed

Acrylic colour





Options

Scandinavian insulation (Deluxe Edition) SmartPhone app - wifi connection (Deluxe Edition) 3 kW heat pump and heat exchanger preparation Rollcover Swim tether



Deluxe Edition

Net weight / Water volume	~ 1 100 kg / 7200 l
Frame	Stainless steel
Side cover	Full Inground
Reinforcement	Fiberglass reinforced
Total number of jets	2 × W Riverjet
Min. power requirement* Opt. power requirement	1 × 25A - 230V / 50Hz 1 × 40A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Pumps	2 × 3 HP + circ. pump (0.25 kW)
Heater	3 kW
Control panel	Easy4
Auxiliary control panel	_
Water care	WellisGuard™
Cartridge filter	2 × Superfine
WOW system	_
Waterfall	_
Led lights	2 × Central lighting
Sound system	_
WIS Inline system	-
SmartPhone app - wifi connection	-
Scandinavian insulation	-
Heat exchanger preparation	-
Swimming stick	-

Premium Edition

Total number of jets	3 × W Riverjet
Opt. power requirement	1 × 50A - 230V / 50Hz or 3 × 16A - 400V / 50Hz
Min. power requirement	$1\times32\text{A}$ – 230V / 50Hz or $3\times16\text{A}$ – 400V / 50Hz
Pumps	3 × 3 HP + circ. pump (0.25 kW)
Control panel	SmartTouch
SmartPhone app - wifi connection	standard
Scandinavian insulation	standard

^{*} If the minimum current is connected, the massage motor(s) and the heating unit cannot be operated at the same time.

WELLNESS AND GARDEN 2025 59

2025. Life Spas

Wellis® Cold Plunge EXPERIENCE THE POWER OF COLD WATER THERAPY

Revitalize your health with the refreshing benefits of cold water therapy. Boost your energy, enhance focus, and speed up recovery while reducing stress and inflammation. Regular cold water immersion strengthens your body and sharpens your mind, helping you feel recharged and ready for any challenge. Ready to take your wellness routine to the next level? Dive into the transformative effects of cold water therapy today!

INCREASES ENERGY AND ALERTNESS

Cold water can significantly boost your energy levels and enhance alertness. The sudden drop in temperature stimulates your body, increasing your metabolism and triggering the release of endorphins, which are natural mood enhancers. This leaves you feeling energized, awake, and better able to focus throughout the day.

IMPROVES IMMUNE SYSTEM FUNCTION

Regular cold water immersion has been shown to strengthen the immune system. The body's response to cold water includes an increase in the production of white blood cells and other immune cells that help fight off infections. This boost in immune cell production can lead to improved overall immunity and a reduced risk of illness.

TRANSFORMS Your Lifestyle

Incorporating regular cold water therapy into your routine can lead to significant improvements in your overall health and well-being. From physical benefits like reduced pain and inflammation to mental benefits like enhanced mood and reduced stress, cold water immersion can make your life healthier and more enjoyable. Give it a try today and experience the transformative effects for yourself!

REDUCES STRESS AND ANXIFTY

Immersing yourself in cold water can help reduce stress and anxiety levels. The initial shock of cold water causes the body to release adrenaline and cortisol, the primary stress hormones. However, over time, regular cold water therapy can help lower the production of these hormones, resulting in a calmer and more relaxed state of mind.

REDUCES SWELLING And Pain

Cold water immersion helps reduce swelling and pain in muscles and joints by constricting blood vessels and decreasing blood flow to the affected areas. This process helps alleviate inflammation, making it a great option for those dealing with arthritis, muscle soreness, or joint pain.

COOL&HEAT PUMP



COOL/HEAT Pump (2-40 °C) 3kW - 20CR3-SBThe Iceland cool&heat pump is capable of cooling the water down to 2°C. Its operating temperature ranges between -5 °C to 43 °C. It can cool 100 liters of 23 °C water down to 5 °C in as little as one and a half hours, at an outside temperature of 15 °C. If desired, bath water can be heated up, up to 40 °C for a pleasant evening soak. With a heating COP value of 4.05, it can deliver 2.1 kW of energy from 500W of absorbed energy. Settings can be easily adjusted using the control unit that is equipped with a digital display or through the application installed on your phone, even from remote locations.

Cold Plunge Line









Experience the benefit of a Cold Water Immersion (CWI) with the Wellis Iceland Cold Plunge Tub. With this tub, you can chill your water to as low of 2°C or heat it to as warm as 40°C.

With LED lights inside the tub and on the outside panel, you can enjoy ambiance while recoving in one stylish unit.

The installation of this Plug and Play tub is ever so easy. Simply drop it in place, fill with water, set the temperature and enjoy the benefits of CWI with Wellis Iceland.













Iceland

COLD PLUNGE

64

 $2200\times1090\times760\,\text{mm}$ 1 seat



Side cover colour

Net weight / Water volume 200 kg / 530 l Frame WPS Side cover UV-proof wood textured Reinforcement Poli-MAX™ Insulation LIFE Scandinavian insulation Total number of jets Air regulator 1 × 10A - 230V / 50Hz + P&P EU Power requirement Pumps Circulation pump Energy-saving W-EC circulation pump (0.25 kW) 20CR3-SB cool/heat pump Cooling unit Control panel Cool&Heat control panel Auxiliary control panel Water refreshment Crystal Clean System, WellisGuard™ ECO Cartridge filter 1 × Superfine Exclusive Lights colour therapy 1 × Central LED lighting, Corner lighting Remote spa control SmartLife app with wifi connection Thermo cover standard



Cold Plunge Line



Iceland Duo COLD PLUNGE / HOT TUB

2200 × 2200 × 760 mm 3 seats



Side cover colour



Cold therapy side	Hot tube side
.,	
314 kg	
530 l	600 l
WPS	
UV-proof wood textured	
Poli-MAX™	
LIFE Scandinavian insulation	
- 14	
-	1
3 × 16A - 400V / 50Hz	
-	2 HP
Energy-saving W-EC circulation pump (0.25 kW)	-
20CR3-SB cool	-/2 kW
Cool&Heat control panel	SmartTouch
Crystal Clean System, WellisGuard™ ECO	Crystal Clean System, WellisGuard™™
1 × Superfine	1 × Superfine
1 × Central LED lighting, Corner lighting	
SmartLife app with wifi connection SmartPhone app with wifi connection	
standard	
	530 l WPS UV-proof woo Poli-MA LIFE Scandinavia - 3 × 16A - 400 - Energy-saving W-EC circulation pump (0.25 kW) 20CR3-SB cool Cool&Heat control panel - Crystal Clean System, WellisGuard™ ECO 1 × Superfine 1 × Central LED lightin SmartLife app with wifi connection



SpaGrip spa mounted

This powder-coated, rust-free handrail, partially covered with anti-slip foam, can be mounted on the side panel of any spa. It ensures a comfortable and safe way to get in and out of the spa.



Spa booster pillow

This comfortable pillow fits any spa; it can be fixed and adjusted to the water level. Sturdy, heat resistant material, easy to fill, standard pipe fitting, suction cup for non-slip feature.



SpaGrip floor standing

The floor-standing version of SpaGrip can be clamped under the spa and attached to the side cover It quarantees a convenient and secure way of entering and exiting the spa, while can be replaced



Floating chemical dispenser

Filter cleaning device

clean your spa filter in a flash.

It ensures a steady flow of chemicals. The chemical in the dispenser does not come into contact with the hot tub shell, therefore there is no damage or discoloration. Multi-stage, adjustable chem-

The purpose of the Wellis filter cleaning device is to



Spaziano tray

Crafted from sleek, black powder-coated aluminum, TowelBar holds your towels just a short distance away from splashing water. When not in use, it conveniently folds flat against your spa. With quick and easy installation, it is compatible with almost any spa model.



With its sturdy construction and 360° rotation, Spaziano tray offers a versatile and hassle-free way to store snacks, drinks, reading materials, and other essentials while enjoying your spa experience



With the hand-held Spa wand vacuum spa cleaner, you may collect impurities from the bottom of the spa, the steps or the surface of water - without having to drain the water. It is delivered with special heads.



WelliStep

The hassle-free spa step that requires no maintenance, featuring a UV resistant plastic construction, a weight capacity of 120 kg, anti-slip rubber treads, and dimensions of 707×621×425 mm.



Manual filter cartridge cleaner

The filters can be cleaned simply and quickly with the manual filter cartridge cleaner. Eight lamellas can be cleaned at the same time without splashing; it can be connected to the garden hose.



Swim spa stairs

Dimension with rail: 147×165×93.5 cm Dimension without rail: 147×77×88 cm



Spa-cleaning glove

This glove uses microfibre technology to lift dust and dirt from surfaces with a soft touch, preventing scratches and tarnishing.



Smart-In Step

Smart-In Step with heat pump storage compartment. In Peaklife spa models, additional functions are available, such as a USB socket and LED lighting that can be integrated into the Exclusive Lights colour therapy.



Spa cleaning disc

Spa cover cleaning wipes are designed to clean your spa or hot tub cover removing dirt and stains without the need of additional cleaning agents.

Eliminates water-surface oils & reduces scum

line formation. Absorbs scum, oily residue includ-

ing body oils, suntan lotion. Improves filter perfor-



Heat pump

You can significantly reduce your spa's heating costs thanks to the latest coolant and high-quality compressor. The reinforced fan reduces the noise level and vibration of the device.



The WIS smart water analyser provides a thorough analysis of spa water, measuring quality, temperature, and conductivity. Compatible with all spa types, the mobilephone app enables real-time mon-



WIS - Wellis intelligent system

itoring of water conditions for immediate updates.





Easy cover lifter

With the use of the Easy cover lifter, one person can easily remove the thermo cover. It fits all spa sizes. Durable, powder-spayed surface. Non-slip handle.



Universal cover lifter

Removing the cover is easier than ever with the universal cover lifter. In order to ensure proper operation, there must be a space of at least 60 cm between the side of the spa and the wall. Can be used with Xtreme™ thermo cover as well!



Wellis Crystal spa chemical package

Package content:

Package content

cloth, instructions for use.

Wellis Crystal Spa Cleaner

water be changed quarterly.

Wellis Crystal Bright & Clear

larly, ensures crystal clear water.

check the pH value.

rectly to the foam.

Wellis Crystal Foam Down

Wellis Crystal Metal clear

Wellis Crystal Alkalinity balancer

Increases total alkalinity and prevents fluctuat-

Antifoam product for hot water massage pools.

Does not contain oily substances. Add undiluted di-

A de-metallizer neutralizes iron, copper and other

minerals in the water and prevents them from ac-

cumulating on the surface of the spa, causing dam-

ing pH values. Alkalinity is important to be able to

2 l Wellis Watertreatment; 18 x chlorine tablets; 1 dispenser (for chlorine tablets); 1 microfiber cloth.

Wellis Crystal swim spa chemical package

 $26 \times \text{water soluble packs (100 g), 1 chlorine tablet}$

Specially designed for the cleaning of spa water

It is used when the spa water is freshened or ex-

changed. As a manufacturer, we recommend spa

Wellis Crystal Bright & Clear flocculant liquid neu-

tralizes dirt, soap, oil in all spas. When added regu-

pipes. Removes lime scale deposits and impurities.

holder, 30 × chlorine tablets 90%/20g, 1 microfiber



Active charcoal filter for spas

When your spa is filled through an active charcoal pre-filter, you get crystal clear bathwater. Sufficient for pre-filtering 8,000 l water.



Water softener for spas

If your spa is filled with demineralized water using this resin-filled pre-filter, it will prevent limestone buildup on mechanical devices, thus increasing their service life.



Wellis Crystal filter cleaner

To keep the spa water crystal clear, the spa filter must be cleaned once a week usage, the Wellis Crystal filter cleaner. Depending on use, this process may need to be performed more frequentlv as well.



Bromine salt

Water sanitizer granules with sodium bromide content designed for spas equipped with the in.Clear (bromide generating) system. Each box contains 2.2 kg of product.



Wellis Crystal Pool check 5in1

A set of test strips used to measure total water hardness, total chlorine, free chlorine, total alkalinity, and pH levels in spas. Each box contains



Antibacterial filter cartridges

Paper filters with an antibacterial coating, whose fibers with an increased surface area are capable of multiplying the performance of a traditional filter cartridges.



Aroma liquid for spas

Liquid aroma for spas 250 ml.ucalyptus, lavender, mediterranean, orange bloom, rosemary.



Wellis Crystal pH Down

The pH value of the spa water is very important. If the pH value of the water is well adjusted, water disinfectants also work more effectively. Wellis Crystal pH Down pH reducer lowers the pH level in your spa.



Explore our newest product addition, the swim spa roll covers that is crafted to enhance your spa experience on select models: Olympus, Danube, Amazonas, Rio Grande.

Kev Features:

- Durable and lockable, designed to withstand any weather condition.
- UV protected for longevity and appearance maintenance.
- Easily roll off in under 60 seconds, simplifying your spa experience. - Compatible with optional shelf brackets for added functionality.



The purpose of using the thermo cover is to maintain the set temperature of the spa water. Thermal insulation is achieved through a special foam layer, which is covered with a UV-resistant artificial leather cover on the outside. The thermo cover is 12 cm thick in the middle and slopes towards the edges of the spa (7 cm), allowing rainwater to easily drain off.



The motorized control placed on the roof structure allows for easy adjustment of the position of the aluminum louvers to reflect harsh sun rays, permit diffused sunlight, provide complete protection against rain and snow, or even ensure uninterrupted ventilation preventing the air beneath the pergola from warming. Thanks to the bioclimatic pergola, we can relish the outdoors in every season. Regardless of weather changes, we can enjoy the outdoor spaces while using the hot tub or even while relaxing on stylish garden furniture. The pergolas are equipped with rgb LED lighting, serving as evening mood lighting, thus ensuring a comfortable outdoor experience even during the evening hours.

Closed louvers

Semi-open louvers at 45°



MotionFlex 300, 400

WB00544, WB00545

Louvered pergola with anthracite grey structure, motorized control, white LED lighting

3000 x 3000 x 2500 mm, 4000 x 3000 x 2500 mm



BIOCLIMATIC PERGOLA

(24V, IP67), remote controlled

integrated water drainage channel rgb LED lighting, remote controlled (24V)

column size: 12x12 cm, 1.4 mm wall thickness maximum load capacity: 60 kg/m²


matte anthracite grey (RAL 7016) solid aluminum structure, with radiused edges motorized matte anthracite grey (RAL 7016) aluminum louvers


MotionFlex 600

WB00575

Louvered pergola with anthracite grey structure, motorized control, rgb LED lighting

6000 x 4000 x 2500 mm











MotionFlex 300, 400

WB00534, WB00535

Side shading for pergolas

3000 x 2500 mm (WB00534) 4000 x 2500 mm (WB00535)



MotionFlex 400, 600

WB00576, WB00555

Electric side shade shading for a 600x400 cm pergola

4000 x 2500 mm (WB00576) 6000 x 2500 mm (WB00555)



... our factory headquarters in Ozd and Dabas through our video showcasing the hot tub manufacturing process there, accessible via the QR code below!



The products included in the catalogue are for illustration purposes only, and may not always match the specifications of the advertised product.

Wellis reserves the right to modify the products – including the product range – without prior notice, since they are valid at the time they are delivered to the printing press.

We may not be made responsible for printing errors.